2022 overseas version Dongfeng Forthing M4 sales specification configuration

Model	1.5TD/7DCT	1.5TD/7DCT
Wiodei	Luxury type	Exclusive type
Body		
L*W*H	4850*1900*1715mm	4850*1900*1715mm
Wheelbase	2900mm	2900mm
	•	•
Body structure	Hatchback-loaded body (with panoramic	Hatchback-loaded body (with panoramic
	sunroof)	sunroof)
Number of doors (pieces)	5	5
Number of seats (a)	•	•
	7 seats, 2+2+3 layout	7 seats, 2+2+3 layout
Engine		
Drive type	Mitsubishi	Mitsubishi
Engine brand	Shenyang	Shenyang

	Mitsubishi	Mitsubishi
Engine model	4A95TD	4A95TD
Displacement (L)	1.481	1.481
Air intake method	Supercharged intercooling	Supercharged intercooling
Rated power(kW)	145	145
Rated power speed(rpm)	5600	5600
Maximum torque(N.m)	285	285
Maximum torque speed(rpm)	1500-4000	1500-4000
Engine technology	DVVT+GDI	DVVT+GDI
Fuel form	petrol	petrol
Fuel label	92 # and above	92 # and above
Fuel tenk consists (1)	55	55
Fuel tank capacity (L)	(E-Mark logo is required)	(E-Mark logo is required)
Oil supply mode	Direct injection	Direct injection
Start-stop system (STT)	•	•

Gearbox		
transmission	DCT	DCT
Number of stalls	7	7
Chassis		
Front suspension type	MacPherson independent suspension +	MacPherson independent suspension +
Front suspension type	horizontal stabilizer bar	horizontal stabilizer bar
Dear suspension tune	Towing arm type non-independent	Towing arm type non-independent
Rear suspension type	suspension	suspension
Steering gear	Electric steering	Electric steering
Front wheel brake	Ventilated disc	Ventilated disc
Rear wheel brake	Disc	Disc
Parking brake type	Electronic parking	Electronic parking
Tire brand	Ordinary brand (Linglong)	Ordinary brand (Linglong)
Tire size	25/55r18,	25/55r18,
	tire with E-MARK logo	tire with E-MARK logo
Spare tire specifications	T15/80r17 with E-Mark logo	T15/80r17 with E-Mark logo

Security equipment		
Driver's seat airbag	•	•
Co-pilot airbag	•	•
Front head air curtain	×	•
Rear head air curtain	×	•
Front side airbag	×	•
Door oide eide e	×	•
Rear side airbag	(Second row)	(Second row)
Front seat belt	•	•
Front Seat Deit	Three-point (with E-MARK logo)	Three-point (with E-MARK logo)
Second-row seat belt	•	•
Second-row seat beit	Three-point (with E-MARK logo)	Three-point (with E-MARK logo)
- 1: 1	•	•
Third-row seat belt	Three-point (with E-MARK logo)	Three-point (with E-MARK logo)
The main seat belt is not		
wearing buzzer alarm or	•	• •

indicator light.		
Buzzing alarm prompt when		
the auxiliary seat belt is not	•	•
fastened.		
Driver's seat service state		
sensing function	•	•
The second row seat belt is		
not wearing an alarm	•	•
prompt.		
Service state sensing		
function of second row seats	•	•
The third row seat belt is not		
wearing alarm prompt.	•	
Service state sensing		
function of the third row	•	

seats		
Seat belt pre-tightening	•	•
function	First and second rows	First and second rows
Seat belt force limiting	•	•
function	First and second rows	First and second rows
Seat belt high position	•	•
adjuster	First row	First row
Electronic anti-theft of		
engine	•	•
Central locking in car	•	•
Automatic locking	•	•
Automatic unlocking after		_
collision	•	•
	•	•
Child safety door lock	Manual type	Manual type
ABS anti-lock braking	•	•

Brake force distribution	_	
(EBD/CBD)	•	
Braking priority	•	•
Auxiliary braking		
(HBA/EBA/BA, etc.)	•	•
Traction control		
(ASR/TCS/TRC, etc.)	•	•
Body stability control	_	
(ESP/DSC/VSC, etc.)	•	
hill start assist control	•	•
Steep slope descent	•	•
Automatic parking	•	•
Tire pressure monitoring	•	•
device	Direct, can display tire pressure	Direct, can display tire pressure
Iso child seat fixing device	•	•
High-position brake light	•	•

	LED (with E-MARK logo)	LED (with E-MARK logo)
	•	•
Rear parking radar	Same color	Same color
	•	×
	With dynamic track, SD image, the same as	With dynamic track, SD image, the same as
Reverse image	SX5F	SX5F
	×	•
	With dynamic track, high-definition image	With dynamic track, high-definition image
		(Adapted to overseas vehicles and
30-degree panoramic camera	X	languages)
	HD (matching with overseas version of the	HD (matching with overseas version of the
	car)	car)
Door lock core	•	•
	Left front door lock	Left front door lock
Automate driving		

Lane departure reminder	×	•
(LDW)	ADAS function (including overseas version	ADAS function (including overseas version
(LDVV)	and matching with overseas version host)	and matching with overseas version host)
Front collision warning	×	•
	ADAS function (including overseas version	ADAS function (including overseas version
(FCW)	and matching with overseas version host)	and matching with overseas version host)
Cruise control	•	•
Adaptive far and near beam	×	•
lamp	ADAS function (including overseas version	ADAS function (including overseas version
	and matching with overseas version host)	and matching with overseas version host)
Door opening warning	×	•
function (DOW)	Angular radar packet function	Angular radar packet function
Side-by-side warning (RCTA)	×	•
	Angular radar packet function	Angular radar packet function
Blind area monitoring (BSD)	×	•

	Angular radar packet function	Angular radar packet function
Lane changing assistance	×	•
(LCA)	Angular radar packet function	Angular radar packet function
Manipulative configurat	ion	
Material of steering wheel	•	•
Material of Steering wheel	corium	corium
Multifunction steering wheel	•	•
Steering wheel audio control	•	•
Steering wheel instrument		
control		
Bluetooth steering wheel		
and voice control		
Steering wheel up and down		
adjustment	•	
Steering wheel fore-and-aft		
adjustment	•	

Material of shift handle	corium	corium
Electronic gear shifting	•	•
Comfortable configuration	on	
Air conditioning intake air		
filtration		
Front air conditioner	•	•
	×	•
Air conditioning control	Electric air conditioner	Electric air conditioner
Air conditioning control	•	•
	Automatic air conditioning	Automatic air conditioning
	•	•
Front air outlet	With switches on both sides, the middle	With switches on both sides, the middle
	switch is based on the shape.	switch is based on the shape.
Temperature zone control	×	•
Rear air conditioner	•	•

	Single cold	Single cold
	•	•
	Foot air outlet (cold air and warm air can be	Foot air outlet (cold air and warm air can be
Second air outlet	discharged)	discharged)
Second air outlet	•	•
	Face air outlet with switch (can supply cold	Face air outlet with switch (can supply cold
	air and warm air)	air and warm air)
	•	•
Third air outlet	Face air outlet with switch (cold air can be	Face air outlet with switch (cold air can be
	discharged)	discharged)
	•	•
PM2.5 air purification	It contains PM2.5 sensor+negative ion	It contains PM2.5 sensor+negative ion
PIVIZ.5 all purification	generator +AQS, which can intelligently	generator +AQS, which can intelligently
	detect and purify the air.	detect and purify the air.
Gauge 95 standard filter		
screen		

Sunroof	•	•
	Panoramic sunroof (with E-MARK logo)	Panoramic sunroof (with E-MARK logo)
Convenience equipment		
	•	•
Local	Ordinary key	Ordinary key
key	•	•
	smartkey	smartkey
one button start	•	•
Was days and the same	•	•
Keyless entry system	Induction type, left front door	Induction type, left front door
	•	•
	Boneless wiper	Boneless wiper
Front window wiper	×	•
	Induction wiper	Induction wiper
Wiper lever	•	×
	Intermittent adjustable wiper lever	Intermittent adjustable wiper lever

×	•
Sensitivity adjustable wiper lever	Sensitivity adjustable wiper lever
•	•
•	•
•	•
Electric rearview mirror adjustment (with	Electric rearview mirror adjustment (with
E-MARK logo)	E-MARK logo)
×	•
Rear view mirror heating	Rear view mirror heating
×	•
Automatic folding of rearview mirror lock	Automatic folding of rearview mirror lock
×	•
Outside rearview mirror memory	Outside rearview mirror memory
×	•
Outside rearview mirror automatically turns	Outside rearview mirror automatically turns
down when reversing.	down when reversing.
	Sensitivity adjustable wiper lever • Electric rearview mirror adjustment (with E-MARK logo) × Rear view mirror heating × Automatic folding of rearview mirror lock × Outside rearview mirror memory × Outside rearview mirror automatically turns

	•	•
	Manually, with E-mark	Manually, with E-mark
Front nower window	•	•
Front power window	With E-mark	With E-mark
Dear newer window	•	•
Rear power window	With E-mark	With E-mark
Window anti-pinch function	•	•
One-button window		
raising/closing	•	•
Remote window opening		_
and closing	•	•
Remote sunroof closed	•	•
spectacle case	•	•
Central storage box	•	•
Mobile phone bracket	•	•
mounting port	It is necessary to install most mobile phone	It is necessary to install most mobile phone

	brackets on the market.	brackets on the market.
Instrument panel hook	•	•
mstrument paner nook	one	one
	•	•
	1 (18W) at the front of the auxiliary	1 (18W) at the front of the auxiliary
EVALCE abouting interfere	instrument panel, 1 at the back cover of the	instrument panel, 1 at the back cover of the
5V USB charging interface	auxiliary instrument panel, 2 at the seat side	auxiliary instrument panel, 2 at the seat side
	of the second row and 2 at the side wall of	of the second row and 2 at the side wall of
	the third row.	the third row.
	•	•
	One at the front of the auxiliary instrument	One at the front of the auxiliary instrument
12V power interface	panel, one at the rear of the auxiliary	panel, one at the rear of the auxiliary
	instrument panel and one in the luggage	instrument panel and one in the luggage
	compartment.	compartment.
Electric tailgate	×	•
	The driver's seat and key can be controlled	The driver's seat and key can be controlled

	on/off.	on/off.
Lamps		
	•	•
	Matrix LED headlights (with E-MARK logo)	Matrix LED headlights (with E-MARK logo)
Dynamic welcome function		
of front and rear combined	Running water turn signal lamp	Running water turn signal lamp
	•	•
Front grille decorative lamp	Auto-light the model logo (unfashionable	Auto-light the model logo (unfashionable
	logo) after starting.	logo) after starting.
Automatic lighting	•	•
Steering auxiliary lamp	•	•
LED doubling a muscine a liebte	•	•
LED daytime running lights	With E-MARK logo	With E-MARK logo

Headlights are delayed to		
turn off.	•	•
Headlight height adjustable	•	•
	Electric regulation	Electric regulation
	•	•
Rear combination lamp	Penetration type, double back-up lights, with	Penetration type, double back-up lights, with
	E-mark	E-mark
Outside rearview mirror		
welcome lamp	•	
	×	• (Overseas version)
	Interior atmosphere light, multi-color	Interior atmosphere light, multi-color
	(matching with overseas version of car	(matching with overseas version of car
Interior atmosphere lamp	machine)	machine)
	×	•
	Ground lamp at rear end of auxiliary	Ground lamp at rear end of auxiliary
	instrument panel	instrument panel

Indoor lights are delayed to	_	
extinguish.	•	•
Reading lamp in front row	• With sunroof control	• With sunroof control
	•	•
	Skylight version, two on the side	Skylight version, two on the side
Trunk open automatic		
lighting		•
Tail license plate lamp	•	•
raii licerise piate iamp	With E-MARK logo	With E-MARK logo
Exterior decoration		
Engine lower fender	•	•
Underhood insulation pad	•	•
Engine hood strut	•	•
Aluminum alloy wheel hub	•	•
Front/rear wheel mud shield	•	•

Front/rear fender	•	•
empennage	•	•
luggage carrier	•	•
Door trim panel	•	•
Qianbao	•	•
Front grille	•	•
Houbao	•	•
Undercar guard	•	•
Pedal	×	×
Welcome pedal	×	•
Welcome pedal	With FORTHING logo	With FORTHING logo
Window trim strip	•	•
Window trim strip	Matte silver (depending on the shape)	Matte silver (depending on the shape)
Water-cut trim strip for car	•	•
body	Matte silver (depending on the shape)	Matte silver (depending on the shape)
Front baffle glass	•	•

	Without coating, with E-mark	Without coating, with E-mark
	×	•
	Green shading strip for windshield with	Green shading strip for windshield with
	E-MARK	E-MARK
	•	•
Front row glass	Green, with E-MARK.	Green, with E-MARK.
	•	•
Middle-row glass	Gray, with E-MARK logo	Gray, with E-MARK logo
	•	•
Rear side glass	Gray, fixed, with E-MARK logo	Gray, fixed, with E-MARK logo
Back door glass	•	•
	Gray, with E-MARK logo	Gray, with E-MARK logo
Door frame adhesive tape	•	•
aerial	•	•
	Fin type	Fin type

Instrument plate	•	•
	Partially soft	Partially soft
Threshold guard	•	•
	•	×
	Without LED lamp and cosmetic mirror (refer	Without LED lamp and cosmetic mirror (refer
Dei codo occabo do	to SX5G)	to SX5G)
Driver's sunshade	×	•
	With LED strip cosmetic mirror (refer to	With LED strip cosmetic mirror (refer to
	SX6G)	SX6G)
	•	×
	Without LED strip cosmetic mirror (refer to	Without LED strip cosmetic mirror (refer to
Decrease and consider de	SX5G)	SX5G)
Passenger seat sunshade	×	•
	With LED strip cosmetic mirror (refer to	With LED strip cosmetic mirror (refer to
	SX6G)	SX6G)
carpet	•	•

Left foot rest pedal	•	•
Safety handle of front and	•	•
rear seat roof	Slow rise	Slow rise
	•	•
Clothes hook	The second row of left and right roof safety	The second row of left and right roof safety
	handles have hooks.	handles have hooks.
Ton cover	•	•
Top cover	Knitted fabric	Knitted fabric
Engine compartment trim	•	•
	Half-covered (the exposed part shall be	Half-covered (the exposed part shall be
cover	routed regularly)	routed regularly)
Engine trim cover	•	•
Multimedia		
Center console display	• (Overseas version)	• (Overseas version)
	High-definition 10.25-inch LCD screen:	High-definition 10.25-inch LCD screen:
	overseas version of the car machine (Chinese,	overseas version of the car machine (Chinese,

	English, Spain, Arabia, Persia)	English, Spain, Arabia, Persia)
	•	×
	10.25 inch code breaking screen	10.25 inch code breaking screen
Instrument cluster	×	•
	10.25-inch LCD screen, (speed limit	10.25-inch LCD screen, (speed limit
	reminder)	reminder)
Audio playback	•	•
USB external sound source	•	•
interface	1, with charging function	1, with charging function
Audio format support	•	•
Radio function	•	•
Radio function	FM/AM	FM/AM
video display	•	•
Bluetooth system	•	•

Mobile phone	• (Overseas version)	• (Overseas version)
interconnection	Chinese, English, Spanish, Arabic, Persian	Chinese, English, Spanish, Arabic, Persian
	×	• (Overseas version)
	It supports taking photos, but does not	It supports taking photos, but does not
event data recorder	support viewing by mobile APP, which can	support viewing by mobile APP, which can
	realize the function of driving record.	realize the function of driving record.
	•	•
Loudspeaker brand	Ordinary brand	Ordinary brand
	•	×
	4	4
Number of speakers	×	•
	6	6
Intelligent network connection		
communication network	• (WIFI)	• (WIFI)
	WIFI、4G	WIFI、4G
Seat		

Seat fabric	• (black)	• (black)
	artificial leather	artificial leather
Cook at was to was	•	•
Seat structure	7 seats (2+2+3 structure)	7 seats (2+2+3 structure)
	•	×
	Manual adjustment, 6-way, seat up and	Manual adjustment, 6-way, seat up and down
	down front and back, backrest front and back	front and back, backrest front and back.
	×	•
	Electric adjustment, 10-way, seat up and	Electric adjustment, 10-way, seat up and
Main driving coat	down front and back, backrest front and	down front and back, backrest front and
Main driving seat	back, waist up and down front and back	back, waist up and down front and back
	adjustment	adjustment
	×	•
	Electric seat memory	Electric seat memory
	×	•
	Seat ventilation (it is recommended to match	Seat ventilation (it is recommended to match

the overseas version)	the overseas version)
×	•
Seat heating (it is recommended to match	Seat heating (it is recommended to match
the overseas version)	the overseas version)
×	•
Seat massage (it is recommended to match	Seat massage (it is recommended to match
the overseas version of the car machine)	the overseas version of the car machine)
•	•
Adjustable headrest up and down	Adjustable headrest up and down
×	•
Adjustable side-wing headrest	Adjustable side-wing headrest
×	•
Seat back plate, small table plate with cup	Seat back plate, small table plate with cup
holder	holder
•	•

	Seat backrest storage bag	Seat backrest storage bag
	×	•
	Seat back hook	Seat back hook
	•	•
	The backrest is folded back to be flush with	The backrest is folded back to be flush with
	the second row of cushions	the second row of cushions
Auxiliary seat	•	×
	Manual adjustment, 4-way, seat front and back, backrest front and back	Manual adjustment, 4-way, seat front and back, backrest front and back
	×	•
	Electric adjustment, 4-way, seat front and	Electric adjustment, 4-way, seat front and
	back, backrest front and back	back, backrest front and back
	×	•
	Seat ventilation (it is recommended to match	(Overseas version)Seat ventilation (it is
	the overseas version)	recommended to match the overseas
		version)

×	• (Overseas version)
Seat heating (it is recommended to match	Seat heating (it is recommended to match
the overseas version)	the overseas version)
•	•
Adjustable headrest up and down	Adjustable headrest up and down
×	•
Adjustable side-wing headrest	Adjustable side-wing headrest
×	•
Seat back plate, small table plate with cup	Seat back plate, small table plate with cup
holder	holder
•	•
Seat backrest storage bag	Seat backrest storage bag
×	•
Seat back hook	Seat back hook
•	•
The backrest is folded back to be flush with	The backrest is folded back to be flush with

	the second row of cushions	the second row of cushions
	×Boss key (the seat cushion and backrest of	Boss key (the seat cushion and backrest of
	the rear passenger seat can be electrically	the rear passenger seat can be electrically
	adjusted to move back and forth)	adjusted to move back and forth)
	•	•
	Sliding back and forth	Sliding back and forth
	×	•
	Sliding left and right	Sliding left and right
	•	•
Second row seats	Seat backrest angle is adjustable	Seat backrest angle is adjustable
	×	•
	Electric adjustment (front and rear, backrest	Electric adjustment (front and rear, backrest
	angle)	angle)
	•	•
	Adjustable headrest up and down	Adjustable headrest up and down

	×	•
	Adjustable side-wing headrest	Adjustable side-wing headrest
	×	•
	Seat ventilation	Seat ventilation
	×	•
	Seat heating	Seat heating
	×	•
	Seat backrest storage bag	Seat backrest storage bag
	•	•
	Mobile phone placing slot	Mobile phone placing slot
	•	•
	Seat armrest (each seat is independent)	Seat armrest (each seat is independent)
	•	•
Third row seats	Up and down adjustable headrest (3 pieces)	Up and down adjustable headrest (3 pieces)
	•	•
	Seat backrest angle is adjustable	Seat backrest angle is adjustable

	•	•
	The backrest is lowered forward to be flush	The backrest is lowered forward to be flush
	with the luggage compartment	with the luggage compartment
	•	•
	4/6 seat	4/6 seat
Payment term	30% deposite T/T in advance, and 70% shall be paid By T/T before delivery	
Delivery time:	45 days after the down payment,or according to Buyer's instructions	

Explanation: •: set, ×: not set;